

Original/Duplicate/Triplicate
CONTRACT CERTIFICATE

No: Second and Part Bill

(For Other Works)

Date.....2022

Divisional Project

Sub-Division:

Bill Received No.

Dated Divisional
Sub Divisional

Cash Book Voucher No..... Dated.....
Work Code: 001-20-000022
Est. Cost- 300.00 Lakhs

Schedule Docket No.

Head of Account:


Name of Work: Construction of Sculptures in Parks, Lakes, Circles and Junctions in ward No.01, 02, 03 and 04 of
Yelahanka Sub Division


Name of Contractor and Full Address: Sri. N Purushotham Raju (M/s NPR Infra)

Reference to Workorder No: EE(Project)/Ynk Zone/WO/09/2021-22

Date: 16-07-2021

Certified that the measurements were taken by me on 25/04/23, and recorded of Pages 4219716 of
measurement Book No. 15119-20 and that the work is satisfactorily executed. 421987


Contractor


Officer-in-charge of work

Certified that the measurement were taken by me on 25-04-23 and found correct. The work is satisfactorily executed.
Certified that the quantities of materials shown in column 3 of Account have been actually brought to site of the
work and the contractor has not previously received any advance on this security. These materials are of and
imperishable nature and are all required for immediate use on the work in connection with items for finished work have
been agreed upon. A normal agreement signed and executed by the contractor is recorded in the office.

Update - 24430700 - 00
Revision - 16779600 - 00

II Memorandum of Payment

- 1) Total value of work done or supplies made as per account within
- 2) Deduct amount to be held in reserve being percent Rs.....
- 3) " Balance
- 4) Deduct Payment:
 - a) Amount of previous payment as in the Office Cash Book Voucher
No.....Dated.....S.D. No.....
towards cash advance recovery of
 - b) Payments } cost store or other material supplied.
Now made } recovery of amount creditable to this/other work
Amount paid on this bill Cheque / Cash.
- 5) Balance being unpaid value of work done held in reserve.
- 6) Deduct cash advance made on the Office cash Book Voucher No.....
dated.....less adjustments.
- 7) Net amount due to or from Contractor
- 8) Advance to Contractor for materials brought to site (as detailed) within.
- 9) Value of Government materials supplied.

Sub-Division Officer
Asst. Executive Engineer
Project Division
Yelahanka Zone
BBMP, Bangalore - 560092

Amount adjusted
153100 - 00
68320 - 00
68320 - 00
5900 - 00
7700 - 00
76200 - 00

unadjustments items. 379540 - 00

Total amount adjusted - 7271560 - 00

Contractor's Signature

Received Rs..... (in words).....

by cash and by adjustment of Payment as per memorandum
(in final settlement of all demands)

(For use in the Office)

Witness

1.
2.
Dated Signature of Contractor

Paid by me by Cheque No.....Dated.....

Cash Rs.....

Dated.....

Initials of Officer making payment



Head of Account P-3748

Audited & admitted for Rs. 7651100

7271560 - 00

Executive Engineer

and Rs. 379540 - 00 by Adjustment

 Acct. Clerk Project Division
 Acct. Supdt. Project Division B.B.M.P.
 Exe. Engineer Project Division B.B.M.P.

BRUHAT BANGALORE MAHANAGARA PALIKE

NAME OF THE PROJECT: Construction of Sculptures in Parks, Lakes, Circles and Junctions in ward No.01, 02, 03 and 04 of Yelahanka Sub Division

ABSTRACT

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
1	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)As per approved quotation	No	1.00	106918.60	106918.60	1	106918.60	106918.6	0.00	106918.60	0.00	1.00	106918.60
2	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)As per approved quotation	No	1.00	108393.20	108393.20	1	108393.20	108393.2	0.00	108393.20	0.00	1.00	108393.20
3	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)As per approved quotation	No	1.00	103535.10	103535.10	1	103535.10	103535.1	0.00	103535.10	0.00	1.00	103535.10
4	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	105605.60	105605.60	1	105605.60	105605.6	0.00	105605.60	0.00	1.00	105605.60
5	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation.	No	1.00	102222.10	102222.10	1	102222.10	102222.1	0.00	102222.10	0.00	1.00	102222.10

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
6	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge , as per approved quotation	No	1.00	151479.80	151479.80	1	151479.80	151479.8	0.00	151479.80	0.00	1.00	151479.80
7	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	147348.90	147348.90	1	147348.90	147348.9	0.00	147348.90	0.00	1.00	147348.90
8	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	102222.10	102222.10	1	102222.10	102222.1	0.00	102222.10	0.00	1.00	102222.10
9	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	104706.70	104706.70	1	104706.70	104706.7	0.00	104706.70	0.00	1.00	104706.70
10	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) as per approved quotation	No	1.00	110039.50	110039.50	1	110039.50	110039.5	0.00	110039.50	0.00	1.00	110039.50

Item no	Description of work	Unit	Qty as per quoted rate						Batches						Total upto date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
11	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge.	No	1.00	102171.60	102171.60	1	102171.60	102171.6	0.00	102171.60	0.00	1.00	102171.60	102171.60		
12	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	109726.40	109726.40	1	109726.40	109726.4	0.00	109726.40	0.00	1.00	109726.40	109726.40		
13	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets As per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	136956.00	136956.00	1	136956.00	136956.0	0.00	136956.00	0.00	1.00	136956.00	136956.00		
14	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	167114.60	167114.60	1	167114.60	167114.6	0.00	167114.60	0.00	1.00	167114.60	167114.60		
15	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) (inclusive of all taxes) As per approved quotation	No	1.00	143773.50	143773.50	1	143773.50	143773.5	0.00	143773.50	0.00	1.00	143773.50	143773.50		

no	Ques	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount	Total upto Date
16	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation. Quantity upto 125%	No	1.00	107625.60	1	107625.60	107625.6	0.25	107625.60	26907.00	1.25	134532.60	
	Quantity above 125%							0.75	107625.60	80720.00	0.75	80720.00	
17	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	109080.00	1	109080.00	109080.0	0.00	109080.00	0.00	1.00	109080.00	
18	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) (inclusive of all taxes) As per approved quotation	No	1.00	104686.50	1	104686.50	104686.5	0.00	104686.50	0.00	1.00	104686.50	
19	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	113948.20	1	113948.20	113948.2	0.00	113948.20	0.00	1.00	113948.20	
20	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	120311.20	1	120311.20	120311.2	0.00	120311.20	0.00	1.00	120311.20	

Item no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
21	No	1.00	108433.60	108433.60	1	108433.60	108433.6	0.00	108433.60	0.00	1.00	108433.60
22	No	1.00	108857.80	108857.80	1	108857.80	108857.8	0.00	108857.80	0.00	1.00	108857.80
23	No	1.00	106413.60	106413.60	1	106413.60	106413.6	0.00	106413.60	0.00	1.00	106413.60
24	No	1.00	139506.25	139506.25	1	139506.25	139506.3	0.00	139506.25	0.00	1.00	139506.25
25	No	1.00	114422.90	114422.90	1	114422.90	114422.9	0.00	114422.90	0.00	1.00	114422.90

Item no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount
26	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	104656.20	104656.20	1	104656.20	104656.2	0.00	104656.20	1.00	104656.20	104656.20
27	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	103888.60	103888.60	1	103888.60	103888.6	0.00	103888.60	1.00	103888.60	103888.60
28	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	109867.80	109867.80	1	109867.80	109867.8	0.00	109867.80	1.00	109867.80	109867.80
29	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	110241.50	110241.50	1	110241.50	110241.5	0.00	110241.50	1.00	110241.50	110241.50
30	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	110211.20	110211.20	1	110211.20	110211.2	0.00	110211.20	1.00	110211.20	110211.20

Sl. No	Description	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount
31	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	106029.80	1	106029.80	106029.8	0.00	106029.80	106029.80
32	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	112756.40	1	112756.40	112756.4	0.00	112756.40	112756.40
33	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	109312.30	1	109312.30	109312.3	0.00	109312.30	109312.30
34	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	110342.50	1	110342.50	110342.5	0.00	110342.50	110342.50
35	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	103848.20	1	103848.20	103848.2	0.00	103848.20	103848.20

36	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	112897.80	112897.80	1	112897.80	112897.8	0.00	112897.80	0.00	1.00	112897.80
37	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	114675.40	114675.40	1	114675.40	114675.4	0.00	114675.40	0.00	1.00	114675.40
38	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete as per direction of Engineer in Charge.	No	1.00	106282.30	106282.30	1	106282.30	106282.3	0.00	106282.30	0.00	1.00	106282.30
39	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	111453.50	111453.50	1	111453.50	111453.5	0.00	111453.50	0.00	1.00	111453.50
40	Providing, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appearance and dimensions of each alphabet is as indicated in technical drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and centrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the periphery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	122997.80	122997.80	1	122997.80	122997.8	0.00	122997.80	0.00	1.00	122997.80

no		Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
41	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation. Quantity upto 125%	No	1.00	124442.10	124442.10	1	124442.10	124442.1	0.25	124442.10	1.25	155553.10
42	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	103494.70	103494.70	1	103494.70	103494.7	0.00	103494.70	1.00	103494.70
43	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) (inclusive of all taxes) As per approved quotation. Quantity upto 125%	No	1.00	103141.20	103141.20	1	103141.20	103141.2	0.25	103141.20	1.25	128927.20
44	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	108802.25	108802.25	1	108802.25	108802.3	0.00	108802.25	1.00	108802.25
45	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	120432.40	120432.40	1	120432.40	120432.4	0.00	120432.40	1.00	120432.40
46	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	104454.20	104454.20	1	104454.20	104454.2	0.00	104454.20	1.00	104454.20

no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
47	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	107605.40	107605.40	1	107605.40	107605.4	0.00	107605.40	1.00	107605.40
48	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation. Quantity upto 125%	No	1.00	107565.00	107565.00	1	107565.00	107565.0	0.25	107565.00	1.25	134457.00
	Quantity above 125%								0.75	107565.00	0.75	80674.00
49	Poviding, Fabricating and Fixing of Antique Kannada Alphabets made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each alphabet, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed alphabets as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	108756.80	108756.80	1	108756.80	108756.8	0.00	108756.80	1.00	108756.80
50	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	74376.40	74376.40	1	74376.40	74376.4	0.00	74376.40	1.00	74376.40
51	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	82719.00	82719.00	1	82719.00	82719.0	0.00	82719.00	1.00	82719.00

no		Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
52	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	84324.90	84324.90	1	84324.90	84324.9	0.00	84324.90	1.00	84324.90
53	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	86506.50	86506.50	1	86506.50	86506.5	0.00	86506.50	1.00	86506.50
54	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes) As per approved quotation	No	1.00	96737.80	96737.80	1	96737.80	96737.8	0.00	96737.80	1.00	96737.80
55	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge. (inclusive of all taxes)	No	1.00	86415.60	86415.60	1	86415.60	86415.6	0.00	86415.60	1.00	86415.60
56	Poviding, Fabricating and Fixing of Antique Kannada Numbers made out of Brass Casting and other Cast iron and also Mild steel materials as per drawings for each Numbers, appreance and dimesions of each alphabet is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, Finishing with Spray Painting and providing the support Stand using L-section and cetrally fitted with bolt height of 7" complete and Fixeing of out-door LED Strip Lighting for through out the peripery and inside all proposed Numbers as per direction of Engineer in Charge.	No	1.00	85607.60	85607.60	1	85607.60	85607.6	0.00	85607.60	1.00	85607.60

no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount
57	No	1.00	85122.80	85122.80	1	85122.80	85122.8	0.00	85122.80	0.00	1.00	85122.80	85122.80
58	No	1.00	84991.50	84991.50	1	84991.50	84991.5	0.00	84991.50	0.00	1.00	84991.50	84991.50
59	No	1.00	76396.40	76396.40	1	76396.40	76396.4	0.25	76396.40	19100.00	1.25	76396.40	95496.40
								0.75	76396.40	57298.00	0.75	76396.40	57298.00
60	No	8000.00	30.30	242400.00	0	30.30	0.0	0.00	30.30	0.00	0.00	0.00	0.00
61	Rmtr	120.00	2525.00	303000.00	109.05	2525.00	273551.3	82.28	2525.00	207757.00	191.33	2525.00	483108.25
62	No	1.00	1212000.00	1212000.00	1	1212000.00	1212000.0	0.00	1212000.00	0.00	1.00	1212000.00	1212000.00
63	No	1.00	1414000.00	1414000.00	1	1414000.00	1414000.0	0.00	1414000.00	0.00	1.00	1414000.00	1414000.00

Item no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
64	No	1.00	1212000.00	1212000.00	1	1212000.00	1212000.00	0.00	1212000.00
65	No	1.00	1868500.00	1868500.00	1	1868500.00	1868500.00	0.00	1868500.00
66	Cum	340.72	266.58	90828.93	85.9623	266.58	22915.8	33.00	8798.00
67	Cum	63.17	129.58	8185.76	0	129.58	0.0	0.00	0.00
68	Cum	53.35	2600.49	138736.00	23.5255	2600.49	61177.8	0.00	61177.77
69	Cum	127.41	5462.20	695939.05	17.6441	5462.20	96375.8	16.83	91917.00
70	Cum	256.88	6058.53	1556314.26	65.1096	6058.53	394468.2	13.65	82718.00

Item no	DESCRIPTION OF WORK	Qty as per quoted rate						R.C.C. WORK			R.F.C. WORK		
		Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
71	KSRB 4.9.2 : Providing T.M.T steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, placing in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM of machinery complete as per specifications. Specification No. KBS 4.6.3 - Pg No. 18 TMT bars Fe 500	Cum	15.86	75976.24	1204983.17	3.31877	75976.24	252147.4	0.00	75976.24	0.00	3.32	252147.37
72	KSRB 4.6.5 : Providing and removing centering, shuttering, strutting, propping etc., for columns, pillars, post and struts, square / rectangular/polygon in plan including cost of all materials, labour complete as per specifications. Specification No. KBS 4.6.2 Pg No. 16 Item No. 4.46.2	Cum	449.86	488.19	219618.77	218.883	488.19	106857.3	0.00	488.19	0.00	218.88	106857.28
73	KSRB 2.3 : Filling available excavated earth (excluding rock) in sides of foundations upto plinth in layers not exceeding 20 cms. in depth, compacting each deposited layer by ramming after watering with lead upto 50 m. and lift upto 1.5 m. including cost of all labour complete as per specifications. Specification No. KBS 2.9, Pg No.7, Item No.2.10 upto 125%	Cum	12.60	215.23	2711.91	15.75	215.23	3389.9	0.00	215.23	0.00	15.75	3389.89
	Above 125%	Cum	0.00	0.00	0.00	1.33688	219.25	293.1	0.00	219.25	0.00	1.34	293.11
74	Supplying and fixing of 1.1 KV LT UG cable XLPE or Heat resistant PVC insulated, PVC extruded inner sheath armoured UG LT cable as per IS-1554 (Part-I) or IS-7098 Part-I. Armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (Max) as per IS-3975, 4 core 16 sqmm 1 team rate 1 team rate (PWD electrical S.R material list page: XVIII SL/NO 522)	Rmtr	300.00	151.50	45450.00	0	151.50	0.0	0.00	151.50	0.00	0.00	0.00
75	Supplying heavy gauge PVC conduit pipe 20/25/32 mm dia 2mm thick conforming to IS 2509 with suitable size bends metal/pvc junction boxes, adhesive paste etc, and running before concreting and slab. The conduit should be tied to the reinforcement rods by using binding wires and unused ways of junction boxes and pipe ends should be covered using PVC end enclosures, run with 18SWG GI fig wire wherever necessary. Quantity upto 125%	Rmtr	300.00	83.83	25149.00	0	83.83	0.0	375.00	83.83	31437.00	375.00	31437.00
	Quantity above 125%								399.00	90.54	36125.00	399.00	36125.00
76	Supply of LED floodlight luminaire with pressure die cast aluminium housing body for optimal thermal dissipation Lamp compartment comprising of anti glare clear diffuser with Injection moulded polycarbonate/clear glass material, delivering superior light output. Rated life Burning Hrs 50000 hr @ Lumen Maintenance of 70%, CCT > 5500K, IP 66 optical and electrical compartment & impact resistance of complete luminaire > IK08. Power Factor >0.9 with mains, Surge Protection- Min 5KV along with Over voltage/Overload, short circuit/ miss-wiring protection. Compatible for pole mounting with outer dia of 40mm to 50 mm. Universal Voltage driver to operate wide voltage range from 100V to 270V 50-60Hz application. Compliance to IS10322/ IEC 60598, LM 79 & LM 80 Adherence with RoHS. UL approved MCPB. Top access street light with single screw to ensure ease of maintenance at the sight site location with minimized minimal tools. LED Light fixture with -----W System Power consumption. LED Efficiency >130lm/w, nominal CRI >75. Luminaire manufacturer should have inhouse facility accredited by NABL/CPRI & any Government certified agency &	Rmtr	20.00	8888.00	177760.00	0	8888.00	0.0	0.00	8888.00	0.00	0.00	0.00

Item no	Unit	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
77	Rmtr	10.00	1222.10	12221.00	0	1222.10	0.0	0.00	1222.10	0.00	0.00	0.00
78	Rmtr	20.00	918.09	18361.80	0	918.09	0.0	0.00	918.09	0.00	0.00	0.00
79	Rmtr	7.00	157560.00	1102920.00	0	157560.00	0.0	5.00	157560.00	787800.00	5.00	787800.00
80	Rmtr	100.00	3393.60	339360.00	0	3393.60	0.0	0.00	3393.60	0.00	0.00	0.00
81	Cum	54.60	66.51	3631.42	68.25	66.51	4539.3	0.00	66.51	0.00	68.25	4539.27
	Cum	0.00	0.00	0.00	0.62537	67.76	42.4	12.53	67.76	849.00	13.15	891.38
82	Cum	520.16	3719.26	1934612.57	72.4443	3719.26	269439.5	111.00	3719.26	412837.00	183.44	682276.51
	Cum							147.26	289.06	42567.00	211.42	61113.22
83	Cum	522.85	289.06	151136.07	64.16	289.06	18546.2	7.83	3469.71	27158.00	15.53	53867.83
84	Cum	12.42	3469.71	43093.84	7.698	3469.71	26709.8	38.90	3535.28	137511.00	38.90	137511.00

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
85	Providing and fixing Stainless steel staircase railing as per Chief Architect Drawing No. 11520/HRSC with hand rail 50mm dia 16 gauge hollow pipe welded to vertical hollow 50 mm dia pipe of 16 gauge, stainless steel vertical pipe spaced at 1.20 m regular intervals, and 5 Nos of 25mm dia. Stainless steel hollow horizontal pipe are welded to vertical 50mm dia hollow pipe. The entire assembly is fixed to staircase concrete by using expansion bolts by drilling concrete etc., complete including cost of materials, labour, HOM of machineries and electrical charges, etc., complete as per specifications. Pg No. 45 Item No. 7.38	Cum	431.88	6446.08	2783934.15	30.742	6446.08	198165.5	113.32	6446.08	730480.00	144.06	928645.47
86	Providing Granite holes of 50 mm dia for fine dressed granite stone slabs 40 mm thick (As per Approved data Rate)	Cum	108.00	121.20	13089.60	0	121.20	0.0	0.00	121.20	0.00	0.00	0.00
87	Providing and laying fine dressed granite stone pillar of 300 mm dia and 2.5 M height including cost of materials, labour, curing complete as per specifications. (As per approved Data rate)	Cum	6.00	11110.00	66660.00	0	11110.00	0.0	0.00	11110.00	0.00	0.00	0.00
88	Providing and laying fine dressed granite stone pillar of 300 mm dia and including cost of materials, labour, curing complete as per specifications. (As per approved Data rate)	Cum	6.00	5555.00	33330.00	0	5555.00	0.0	0.00	5555.00	0.00	0.00	0.00
89	KSRRB M300-2.2. Grassing with Doobs grass KSRRB M300- 2.1. Grassing with Doobs grass including watering and maintenance of the lawn for 30 days or more till the grass forms a thick lawn free from weeds and fit for moving including supplying good earth if needed complete as per specifications. MORTH Specification No. 307 ii) In rows 7.5 cm apart in either direction ,item No 19.79, Page:148 PWD SR 2018-19	Cum	29.54	91.00	2688.17	0	91.00	0.0	28.26	91.00	2572.00	28.26	2572.00
90	KSRB 5.4.3 : Providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1:6 stone Masonary in superstructure with cement mortar . edge of stones chistile dressed in courses not less than 15 cms high, bond stones at two 2M. apart in each course including cost of materials, labour, curing complete as per specifications. KBS 5.4.3, Pg No 25. Item No 5.12	Cum	39.65	5740.54	227612.29	0	5740.54	0.0	0.00	5740.54	0.00	0.00	0.00
91	KSRB 5-14 : Providing and constructing load bearing wall with solid concrete blocks of size 400 X 200X200mm having block density not less than 1800kg/m3 having a minimum average compressive strength 5.00N/mm2 conforming to IS 2185 (part 1) :2005 and constructed with cement mortar 1:4,as per IS 2572-2005 including cost of materials, labour charges, scaffolding, curing, hire charges of machinaries etc., complete as per specifications. KBS No.5 14, Pg No. 27 Item No. 5.26.1	Sqm	222.42	976.36	217161.99	0	976.36	0.0	32.33	976.36	31564.00	32.33	31564.00
92	Providing and laying flooring using prepolished, water cut/gang saw 19mm thick granite laid over bed of 20mm thick 1:4 cm & jointed with neat cement slurry mixed with pigment to match shade of granite slabs including laying POP on finished surface and cleaning the surface, including the cost of all materials and labours etc., complete as per specifications. - using silver grey granite / Multy Red / Ruby Red / Black / HassanGreen Granite of width not less than 1200mm Specification No. KBS 14.47.1 Pg.No.109	Sqm	943.22	2932.37	2765873.24	0	2932.37	0.0	405.31	2932.37	1188531.00	405.31	1188531.00
93	KSRB 6-2.3 : Providing and constructing burnt brick masonry with approved quality of non-modular bricks of standard size of class designation 5.0Newton per sqmm (table moulded) with cement mortar 1:6 for basement and superstructure including cost of materials, labour charges, scaffolding, curing complete as per specifications. Specification No. KBS 6.2, page no 29,item no 6.2 PWD Sr 2018-19 Upto 125%	Cum	6.79	7183.12	48773.38	7.42269	7183.12	53318.1	0.00	7183.12	0.00	7.42	53318.07

Item no	DESCRIPTION OF WORK	Unit	Qty as per quoted rate			Previous			Present			Total upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
94	KSRB15-16: Providing rough cement plastering 15mm thick in single coat with cement mortar 1:4 to brick masonry for base of dadoing works with sand of approved quality, providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications KBS No.15.16, Pg No. 115 Item No. 15.6 (upto 125%)	Sqm	208.98	218.40	45641.73	67.0267	218.40	14638.8	70.84	218.40	15472.00	137.87	30110.79
95	KSRB 15-16.1 Providing and applying painting in two coats with plastic emulsion paint of approved brand on wall surface to give an even approved shade after thoroughly brushing the surface, free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications. - with primer. Quantity upto 125%	Sqm	210.06	109.20	22938.80	0	109.20	0.0	250.59	109.20	27365.00	250.59	27365.00
96	Supplying heavy gauge PVC conduit pipe 40mm dia 2.5mm thick conforming to IS 2509 with suitable size bends, junction boxes, adhesive paste etc., and fixing using inverted wood plugs in case of RCC ceiling and RCC wall / stone structure or rawl plugs in case of brick walls and cement plastering the damaged portion using heavy gauge saddles at an interval of 700mm using NF screws. item no-3.4, Item 3.4.1, Item 3.4.2 page no-2, PWD SR 2019-20 (40mm dia, 2.5mm thick)	Rmtr	160.00	106.05	16968.00	0	106.05	0.0	0.00	106.05	0.00	0.00	0.00
97	Supply of LED floodlight luminaire with pressure die cast aluminium housing body for optimal thermal dissipation. Lamp compartment comprising of anti glare clear diffuser with Injection moulded polycarbonate/clear glass material, delivering superior light output. Rated life Burning Hrs 50000 hr @ Lumen Maintenance of 70%, CCT > 5500K, IP 66 optical and electrical compartment & impact resistance of complete luminaire > IK08. Power Factor > 0.9 with mains, Surge Protection- Min 5KV along with Over voltage/Overload, short circuit/ miss-wiring protection. Compatible for pole mounting with outer dia of 40mm to 50 mm. Universal Voltage driver to operate wide voltage range from 100V to 270V 50/60Hz application. Compliance to IS10322/ IEC 60598, LM 79 & LM 80 Adherence with RoHS. UL approved MCPCB. Top access street light with single screw to ensure ease of maintenance at the sight site location with minimized minimal tools. LED Light fixture with W System Power consumption. LED Efficiency > 130lm/w, nominal CRI > 75. Luminaire manufacturer should have inhouse facility accredited by NABL/CPRI & any Government certified agency & Design & Development facility certified by ISO 9001:2008. Housing with supplier word mark name shall be Engraved / Embossing on the die cast housing/ Body part. Warranty of 2 Years against any manufacturing defect working under standard electrical conditions as mentioned above should be given by LED manufacturer & Cree/Nichia/ Lumileds/Osram make LED Source. (PWD electrical S.R material list page no : 67 SL/NO 12.9)	Each	44.00	6868.00	302192.00	0	6868.00	0.0	0.00	6868.00	0.00	0.00	0.00
98	Supplying and flush modular powder coated / galvanized metal box suitable for mounting modular switch plates, the box should be firmil flush mounted after due groove cutting in brick /stone/C.C wall . item no-1.2, Item 1.2.2, Item 1.2.3 page no-2, PWD SR 2018-19	Each	32.00	106.05	3393.60	0	106.05	0.0	0.00	106.05	0.00	0.00	0.00
99	Supply and fixing of bakelite D.P /socket/switch with/ without neon indicator over existing wood board or flush mounting in plastic plates/niches as per IS 1293 and IS 3854, Item 3.6.11 page no-10, PWD SR 2018-19	Each	8.00	163.62	1308.96	0	163.62	0.0	0.00	163.62	0.00	0.00	0.00

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Amount	Qty	Rate	Amount	Qty	Amount
			Qty	Rate	Amount	Qty	Rate	Amount						
100	Supplying and fixing of Group A, regular MCB distribution boards on wall/woodboard/flush mounting using required clamps, bolts, nuts etc., with provision for fixing suitable type capacity MCB'S single phase/ 3 phase / single door with powder coated painting made out of SWG MS enclosure. item no-5.18, Item 5.18.4 page no-27, 28 PWD SR 2018-19.	Each	8.00	1222.10	9776.80	0	1222.10	0.0	0.00	0.00	1222.10	0.00	0.00	0.00
101	Supply and fixing miniature circuit breakers on the existing MCB distribution boards using necessary fixing materials and "C" type curve, Indicator ON/OFF energy cross -3 with as required confirming to IEC 60898 item no-5.17, Item 5.17.4, page no-27, PWD SR 2018-19.	Each	8.00	918.09	7344.72	0	918.09	0.0	0.00	0.00	918.09	0.00	0.00	0.00
102	Wiring for lighting/power circuit using Grade using one of FRLS PVC insulated 1100 volts grade, multi strand copper with low conductor resistance single core wire in open or concealed system of wiring. With specified IS-694: confirming to Latest amendments Quantity upto 125%	Each	200.00	45.45	9090.00	0	45.45	0.0	0.00	0.00	45.45	0.00	0.00	0.00
	Quantity above 125%								0.00	0.00	0.00	0.00	0.00	0.00
103	Supplying and fixing regular MCB distribution boards on wall / wood board / flush mounting using required clamps, bolts, nuts etc., with provision for fixing suitable type capacity MCB's single phase / 3 phase / single door with powder coated painting. Made out of 14 SWG MS enclosure. item no-5.18, page no-27, PWD SR 2019-20.	Each	8.00	1818.00	14544.00	0	1818.00	0.0	0.00	0.00	1818.00	0.00	0.00	0.00
104	Supplying of 1.1 KV LT UG cable XLPE or Heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (Max) as per IS-3975, item no-6.4.2, page no-40, PWD SR 2019-20.	Rmtr	405.50	131.30	53242.15	0	131.30	0.0	0.00	0.00	131.30	0.00	0.00	0.00
105	Providing and filling sand in excavated trench to cover already laid UG cable to a depth of 150 mm all-round the cable item 6.7, page no- 41 SR 2018-19.	mtr	360.00	101.00	36360.00	0	101.00	0.0	0.00	0.00	101.00	0.00	0.00	0.00
106	Supplying and fixing L.T. cast Iron pot heads suitable for 1.1KV class UG cable filled with necessary bitumen/ insulating compound complete with terminals, lamps, bolts, nuts and washers etc. item 6.10.5, page no-42 SR 2018-19.	Each	8.00	624.18	4993.44	0	624.18	0.0	0.00	0.00	624.18	0.00	0.00	0.00
107	KSRB 15-15.1: Providing and applying painting in two coats with plastic emulsion paint of approved brand on wall surface to give an even approved shade after thoroughly brushing the surface, free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications. - with primer	Sqm	1.80	93.12	167.62	0	93.12	0.0	0.00	0.00	93.12	0.00	0.00	0.00
108	KSRB 14.6-1: Providing and laying heavy duty cobble stones 60 mm thick interlock pavers, using cement and coarse sand for manufacture of blocks of approved size, shape and colour with a minimum compressive strength of 281 kg per sqm over 50mm thick sand bed (average thickness) and compacting with plate vibrator having 3 tons compaction force thereby forcing part of sand underneath to come up in between joints, final compaction of paver surface joints into its final level, including cost of materials, labour and H.O.M of machineries complete as per specifications. Specification No. K.B.S. Quantity upto 125%	Sqm	146.00	1127.36	164595.14	0	1127.36	0.0	0.00	0.00	1127.36	0.00	0.00	0.00
	Quantity above 125%								0.00	0.00	0.00	0.00	0.00	0.00

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
109	KSRRB M1200-48.2 Construction of cement concrete kerb with top and bottom width 115 and 165 mm respectively, 250 mm high in M-20 grade PCC on M-10 grade foundation 150 mm thick, foundation having 50 mm projection beyond kerb stone, kerb stone laid with kerb lying machine, foundation concrete laid manually, all complete as per Clause 400.8 complete as per specifications. B. Using Concrete Batching and Mixing Plant MORTH Specification No.408 item No 26.127. Page no.217 PWD SR 2018-19	mt	80.00	295.93	23674.40	0	295.93	0.0	67.60	295.93	20005.00	67.60	20005.00
110	Providing and laying For elevation using white sadharalli stone with stone chiesing and fine dressed granite stone slabs 100 mm thick with cement mortar 1:3 including cost of materials, labour, curing complete as per specifications. (AS per Approved Data rate including GST)Elevation Stone for aesthetic purpose @ TOP OF WALL (1X0.3X0.1) granite sixe	Sqm	60.00	4898.50	293910.00	0	4898.50	0.0	33.31	4898.50	163169.00	33.31	163169.00
E1	Fabricating, providing and erecting in poiston of M S Ornamental security Grill without hot dip using 75 x 12mm M S Flat for alround frame work with verticals at the centre and horizontal center support M S Square of 20 x20 mm of different heights as shown in the drawing are to be fixed at 16 cms C/C for suqare bars of full height and at 8cms C / C for bottom rods providg ornamental C I Designers at thebottom and C I arrows inthe middle and top The entire frame work is to be fixed by means of expansion bolts to the brick pillars with necessary drillling holes. the work includes providing two coats of enamel painting over one coat of red lead ready mix primer coat etc complete cost of all labour, painting, erection charges using hoist pulleycranes etc as per specification and drawings	Kg	0.00	0.00	0.00	850.5	162.53	138231.1	0.00	162.53	0.00	850.50	138231.08
	I. Miscellaneous and rounding off							0.0			0.00	0.00	0.00
E2	Providing and laying/fixing cement base, precast, pre polished cement concrete, designer tiles 25mm thick for flooring conforming to IS 1237 heavy duty tiles for flooring, treads of steps and landing, laid on a bed of 12mm thick cement mortar 1:3 mis finished with flush pointing using the white cement, including cost of materials, including cutting, griding the edge to half/full round wherever required, labour, curing complete as per specification. (P No. 109, I.No. 14.62 of PWD SR 2015-16)	Sqm	0.00	0	0.00	195.10	1343.87	262194.4	0.00	1343.87	0.00	195.10	262194.36
E3	Poviding, Fabricating and Fixing of Make in India made out of wWelded Iron Automobile Parts, materials as per drawings for apparence and dimesions is as indicated in techinal drawings enclosed including cost of all materials, labour, HOMof machinery, complete as per direction of Engineer in Charge. (inclusive of all taxes) Dimesions : 42 x 98 x 24 inches Base size required (8 x 4 feet) Wiegth: 350Kgs approximately (inclusive of all taxes) As per approved quotation	Nos	0.00	0	0.00	1.00	411700.00	411700.0	0	411700.0	0.00	1.00	411700.00
E4	Providing and fixing of ornamental grill for, inside frame designs made out of 10 mm thick Hexagonal Hollow Section height 1.20m , appearance and dimeson of hand railing is indiated in drawings including cost of labour etc, complete as per direction of Enginner in charge (inclusive of all taxes) including outdoor duco painting (inclusive of all taxes) As per approved quotation	Nos	0.00	0	0.00	31.00	8000.00	248000.0	0	8000.0	0.00	31.00	248000.00

Item no	Unit	Qty as per quoted rate			Previous			Present			Total Up to Date	
		Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
E5	m	0.00	0	0.00	0.00	0.00	0.0	257.33	937.00	241118.00	257.33	241118.00
E6	Sqm	0.00	0	0.00	0.00	0.00	0.0	421.23	779.92	328526.00	421.23	328526.00
E7	m	0.00	0	0.00	0.00	0.00	0.0	573.00	445.05	255012.00	573.00	255012.00
E8	Kg	0.00	0	0.00	0.00	0.00	0.0	313.48	103.63	32485.00	313.48	32485.00
E9	Sqm	0.00	0	0.00	0.00	0.00	0.0	12.23	4772.25	58341.00	12.23	58341.00

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Upto Date	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
E10	Providing and fixing M.S. Hand railing for Balcony/ Staircase etc., with 50mm dia. M.S. hollow pipe of 14 gauge, welded to 20mmx20mm M.S. square rod placed vertically, spaced at 100mm at regular intervals of 600mm. These vertical rods laterally tied to 3 horizontal rods spaced at equal interval. These assembly is fixed to concrete by using expansion bolts and welding the same to reinforcement bars and making good the surface. All the joints and sections should be cut to length, welded and grinded wherever necessary etc., complete. The work includes cost of all materials, labour charges for all items of work, hire charges for welding, cutting and grinding equipment, and electricity charges, etc., complete as per specification and drawing.	Sqm	0.00	0	0.00	0.00	0.00	0.00	10.77	3097.87	33349.00	10.77	33349.00
E11	KSRB 9.4-1 : Providing wood frames of doors, windows, clerestory windows, ventilators and other frames, wrought, framed or assembled including making plaster groves (excluding cost of cement concrete and side clamps), but including cost of materials, labour, HOM complete as per specifications. Specification No. KBS 9.33, KSRB 9.4-2 : - do - Honne wood frames	Cum	0.00	0	0.00	0.00	0.00	0.00	0.22	95558.44	21081.00	0.22	21081.00
E12	KSRB 9.5 : Providing and fixing in position fully panelled wood shutters for doors, with styles and rails of 40mm. thick with bottom and lock rails 180mm wide top rail and styles 100mm wide as per drawing and panels of 25mm thick including cost of materials, labour, HOM complete as per specifications. (excluding cost of fixtures) Specification No. KBS 9.34, KSRB 9.5-2 : - do - Honne wood	Sqm	0.00	0	0.00	0.00	0.00	0.00	10.10	5150.76	52030.00	10.10	52030.00
E13	Providing and fixing Vitirified glazed tiles of approved make, quality & colour of size 600 x 600 x 10mm thick fixed on existing flooring with special adhesive for flooring, skirting and jointed with neat cement slurry mixed with pigment to mach shade of tiles, including providing spacers at required interval and removing stains, cost of materials, mortar, labour etc., complete as per specification.	Sqm	0.00	0	0.00	0.00	0.00	0.00	143.43	1128.98	161933.00	143.43	161933.00
E14	KSRB15-3 : Providing 18mm thick cement plaster in single coat with cement mortar to brick masonry including rounding off corners wherever required smooth rendering. : Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications.	Sqm	0.00	0	0.00	0.00	0.00	0.00	94.59	284.70	26931.00	94.59	26931.00
E15	KSRB15-3.8 : - do - cement mortar 1:4 KSRB 14.14-5: Providing Ceramic tiles of approved make, shade and size for flooring, treads of steps and landings laid on a bed of 12mm thick, cement mortar 1:3 mix, flush pointing with white cement using colour pigment , including cost of materials, labour, curing, complete as per specifications. Specification No KBS _do_ for Ceramic Tiles of size 30x30cms 6mm thick		0.00	0	0.00	0.00	0.00	0.00	15.97	1319.87	21073.00	15.97	21073.00
E16	KSRB 14-17.2 : Providing skirting, dadoing, rises of steps with colour glazed tiles on 10mm thick cement plaster 1:3 and jointed with white cement slurry over existing rough plaster surface using glazed tiles of approved make and size including cost of materials, labour, complete as per specifications. Specification No. KBS 14.16, 14.17 Colour glazed tiles 30x60 cms 6mm thick with border of size 30 x 10 cms	Sqm	0.00	0	0.00	0.00	0.00	0.00	70.84	1780.19	126112.00	70.84	126112.00
E17	Providing applying two coats of wall putty to inside plastered walls and ceiling using white cement putty. Scrapping and levelling the surface using steel blade and preparing the surface even and smooth by using different grade sand papers, including cost of all materials, cost of labour and scaffolding etc., complete as per the specification.	Sqm	0.00	0	0.00	0.00	0.00	0.00	39.57	85.08	3367.00	39.57	3367.00

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Value
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	
E18	SOLID PVC DOOR FRAME Providing & fixing factory made PVC Door frame of size 50x47mm with a wall thickness of 5mm, made out of extruded 5mm rigid PVC foam sheet metered cut at corners & jointed 2 No.s of 150mm long brackets of 15x15mm M.S Square tube, the entire door frame to be reinforced with 19x19mm M.S Square tube of 19 gauge. The door frame to be fixed to the wall using M.S. Screws of 65/80mm size complete as per manufacturers specification & direction of Engineer-in-charge.	Sqm	0.00	0	0.00	0.00	0.00	0.00	6.25	510.49	3190.00	3190.00
E19	SOLID PANEL PVC DOOR SHUTTER Providing & fixing 30mm thick factory made rigid foam Panelled Door Shutters made from M.S. tube of 19 gauge thickness, size 19x19mm for styles and 15x15mm for top & bottom rails, covered with heat moulded PVC channel of 5mm thick sheet & 30 x 50mm wide to form styles & 5mm thick & 75mm wide PVC Sheets for top rail, lock rail & bottom rail on either side & 5mm thick 20mm wide PVC sheet as gap insert for top rail & bottom rail, Panelling of 5mm thick PVC sheet fitted in the M.S. Frame, Sealed to the styles & rails with 5x30mm PVC sheet beading on either side & jointed together with solvent cement adhesive etc., Complete as per manufacturers specification & direction of Engineer-in-charge fixed to frames with 3 nos of 75 m.m Aluminium hinges.	Sqm	0.00	0	0.00	0.00	0.00	0.00	6.25	3029.15	18926.00	18926.00
E20	KSRB 11-7.2 : Providing and fixing white vitreous china clay, flat back, lipped front urinal basin of 430x260x350mm in the range of two 7.5 litre P.V.C with automatic flushing cistern, C.I / M.S brackets, standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Specification No. KBS 11.	Each	0.00	0	0.00	0.00	0.00	0.00	2.00	4543.18	9087.00	9087.00
E21	Providing and fixing CI Nahani trap of approved make conforming to ISI specifications and construction of Cistern in M-15 as per directions (Rate is inclusive of cost of materials and fixtures and conveyance of materials to work spot). -do- 12.5cms x 7.5cms	Each	0.00	0	0.00	0.00	0.00	0.00	7.00	310.88	2177.00	2177.00
E22	Providing and fixing 7.5 cms to 15.00 cms dia NP grating 100 mm dia.	Each	0.00	0	0.00	0.00	0.00	0.00	7.00	163.62	1146.00	1146.00
E23	KSRB 11-11 : Providing and fixing white vitreous china clay, flat back wash basin with a single 15mm C.P brass pillar tap with C.I / M.S brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Specification No. KBS 11 KSRB 11-11.5 : - do - of size 450 x 300mm Specification No. KBS 11	Unit	0.00	0	0.00	0.00	0.00	0.00	4.00	3061.88	12248.00	12248.00
E24	KSRB 11-5 : Providing and fixing white vitreous china clay, water closet European type (Pedestal type, P-trap) with black solid plastic seat and lid, C.P brass hinges, rubber buffers. 10 litre low level, P.V.C flushing cistern (all are approved make) with fittings, C.I / M.S brackets, 40mm diameter flush bend with fittings and clamps, overflow arrangements with special and 25mm mosquito proof coupling of approved design, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. Specification No. KBS 11	Each	0.00	0	0.00	0.00	0.00	0.00	5.00	5406.00	27031.00	27031.00
E25	KSRB 11-15.3 : Providing and fixing 453x357mm dia rectangular shape mirror with plastic moulded frame of approved make and shade with 6mm thick hard board backing including cost of materials, labour complete as per specifications.	Unit	0.00	0	0	0.00	0.00	0.00	4.00	1239.15	4957.00	4957.00

Item no	Description of work	Unit	Qty as per quoted rate				Previous			Present			Total Upto Date
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount		
E26	Providing and fixing unplasticised PVC pipes with working pressure 10 kg/sq cm with pipe fittings, clips, making good the floor, including cost of all materials, labour charges, HOM and testing complete as per specifications -do- with 160mm outer dia	m	0.00	0	0.00	0.00	0.00	0.00	9.70	1365.68	13248.00	13248.00	
E27	KSRB 13-11 : Providing and placing on terrace, polyethylene water storage tanks as per IS 12701 : 1996 with manhole lid and suitable locking arrangements, making holes of suitable diameter for inlet, outlet and over flow pipes, including cost of all materials, labour, transport charges, HOM and testing complete as per specifications. (For 1000 litre capacity) Specification No.KBS 13.22	Nos	0.00	0	0.00	0.00	0.00	0.00	1.00	7447.98	7448.00	7448.00	
E28	KSRB 15.3 : Providing 12mm thick cement plaster in single coat with cement mortar to brick masonry including rounding off corners wherever required smooth rendering. : Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications. KSRB15-3.2 : - do - cement mortar 1:4	Sqm	0.00	0	0.00	0.00	0.00	0.00	156.00	222.52	34713.00	34713.00	
E29	Fabricating, providing and erecting in position Hot dip galvanized Gate. Using 72x72x4.8 mm Sq. G.I Pipe Frame with top pipe bending in heavy duty hydraulic press with sand packing and hot bending to form double arch as per drawing profile, 20mm hot dip galvanized sq rod for verticals at 150mm c/c, as shown in the drawing including providing hot do galvanized forged ornamental design in between rods and heads at top, middle and bottom. Intermediate supports of 75x12mm and 50x6mm arch bent to hot dip galvanized flats. The work is inclusive of thorough grinding, Flat G.I Sqm. rods, placing, welding all the joints including grinding, finishing metal patty, painting two coats enamel painting. The rate is inclusive of all materials Like G.I Sq. G.I Pipe, G.I Forged designs etc., heavy duty hinges are made out of 75mm sold sq. block assembled with 20mm du bearing in three places for each flop. Heavy duty locking arrangement of low places including cost of labour, painting, erection charges using hoist pulley cranes, with all lead and lift, loading, transportation, unloading, scaffolding charges and all other complete as per	Sqm	0.00	0	0.00	0.00	0.00	0.00	12.60	12599.75	158757.00	158757.00	
E30	Supplying and fixing new Mangalore tiles on existing reapers including cost of materials, labour, HOM complete as per specifications.	Sqm	0.00	0	0.00	0.00	0.00	0.00	4.23	443.96	1880.00	1880.00	
E31	Waterproofing of RCC Terrace / podium slab / toilet / utilities / water retaining structure by preparing the surface by chipping and cleaning and Grouting of Honey comb, voids, cracks / construction joints with cement slurry (1kg cement added in 10 ltr of water) added with 100gm of inorganic accelerator, followed by spraying of liquid biological modified alkaline earth silicates @ 0.40 ltr per sqm on whole surface to reduce the micro porosity and allowing it to dry, curing the surface for the silicates to penetrate deeper into the concrete and spraying waterproofing impregnate liquid containing silane and silanol linear copolymer @ 0.50 ltr per sqm and finally applying polymer slurry made out of cross linked acrylic / styrene / butadiene & cement in the ratio of 1:0.1, @0.50kg/sqm on the whole surface, including all labour charges tools and equipments, all complete as per the specification	Sqm	0.00	0	0.00	0.00	0.00	0.00	45.60	573.76	26164.00	26164.00	

Item no	Description of work	Unit	Qty as per quoted rate			Previous			Present			Total Value	
			Qty	Rate	Amount	Qty	Rate	Amount	Qty	Rate	Amount	Qty	Amount
E32	Fabrication supplying and erecting M.S. tubular trusses of all spans as per approved drawing & design with prefabricated steel applications using quality material and are durable, reliable and corrosion and abrasion resistant. Welding shall confirm to latest structural welding code. Quality shall be on various parameters like shape, size, design gauge and polish. The entire trusses is anchored in RCC column by using 4 nos of M.S anchor bolts at each support with 10mm thick base plate and shoe plate. The work includes cutting, straightening, placing in position of M.S. pipes and welding wherever necessary and applying one coat of redoxide primer coat to all the members including cost of all materials, labour charges, and hire charges of machineries for cutting, welding, grinding and erection equipments, with all lead and lift, transportation, etc., complete as per specification	Kg	0.00	0	0.00	0.00	0.00	0.00	1106.80	121.08	134011.00	1106.80	134011.00
E33	Basket Ball Court Painting	SFT	0.00	0	0.00	0.00	0.00	0.00	6542.08	68.68	449311.00	6542.08	449311.00
	Sub Total Amount				27609030.96			14981854.60			6831460.00		21813314.60
	GST				3313083.72			1797822.55			1229662.80		3027485.35
	Grand Total Amount				30922114.67			16779677.16			8061123.00		24840799.96

Certificate
 1 The Work executed by the contractor is found satisfactory
 2 The contractor has removed the debris from the work spot

for **NPR INFRA TECH**

N. mal
 Contractor

Authorised Signatory

[Signature]
 Assistant Engineer

6831422-0
 12% 819774-0

[Signature]
 Asst. Executive Engineer

7651193-0

BE Mr. Sankaradev - 92

7651100-0

21814000

8061000-0